



Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 7-80) PATENT AND TRADEMARK OFFICE LIST OF INFORMATION CITED BY APPLICANT (Use several sheets if necessary)	ATTORNEY DOCKET NO.: 21099.0074U2	SERIAL NO. 10/079,130
	APPLICANT: Meagher et al.	
	FILING DATE: February 20, 2002	GROUP: ⁶⁴⁴ Unassigned

U.S. PATENT DOCUMENTS

EXAMINER INITIALS		DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
D.O.	A1	4,978,625	12/18/90	Wagner et al.			
	A2	5,212,072	05/18/93	Blalock et al.			
	A3	5,264,341	11/23/93	Maciak			
	A4	5,627,052	05/06/97	Schrader			


FOREIGN PATENT DOCUMENTS

	A5	DE19900635	07/13/00	Moldenhauer et al., Germany with Abstract			
--	----	------------	----------	---	--	--	--

OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	A6	Antczak D.F. "Monoclonal antibodies: technology and potential use" <i>J Am Vet Med Assoc</i> 181, 1005-10, 1982
	A7	Condon et al. "Aberrant trafficking of the B cell receptor Ig-alpha beta subunit in a B lymphoma cell line" <i>J Immunol</i> 165, 1427-37, 2000
	A8	Coursen et al. "Genomic instability and telomerase activity in human bronchial epithelial cells during immortalization by human papillomavirus-16 E6 and E7 genes" <i>Exp Cell Res</i> 235, 245-53, 1997
	A9	DeFranco et al. "Structure and Function of the B-Cell Antigen Receptor" <i>Chem Immunol.</i> 59:156-172, 1994
	A10	Dickson et al. "Human keratinocytes that express hTERT and also bypass a p16(INK4a)-enforced mechanism that limits life span become immortal yet retain normal growth and differentiation characteristics" <i>Mol Cell Biol</i> 20(4):1436-47, 2000
	A11	Edwards-Gilbert, G. and Milcarek, C. "The binding of a subunit of the general polyadenylation factor cleavage polyadenylation specificity factor CPSF) to polyadenylation sites changes during B cell development" <i>Nucleic Acids Symposium Series</i> 33, 229-233, 1995
	A12	Edwards-Gilbert, G. and Milcarek, C. "Regulation of poly(A) site use during mouse B-cell development involves a change in the binding of a general polyadenylation factor in a B-cell stage-specific manner" <i>Molecular and Cellular Biology</i> 15, 6420-6429, 1995
	A13	Edwards-Gilbert et al. "Alternative poly(A) site selection in complex transcription units: means to an end?" <i>Nucleic Acids Res</i> 25, 2547-2561, 1997
	A14	Flaspohler et al. "The 3'-untranslated region of membrane exon 2 from the gamma 2a immunoglobulin gene contributes to efficient transcription termination" <i>Journal of Biological Chemistry</i> 270, 11903-11, 1995
	A15	Flaspohler, J. A. and Milcarek, C. "Myelomas and lymphomas expressing the Igγ2a H chain gene have similar transcription termination regions" <i>Journal of Immunology</i> 144, 2802-2810, 1990
D.O.	A16	Flaswinkel and Reth, "Molecular cloning of the Ig-α subunit of the human B-cell antigen receptor complex." <i>Immunogenetics</i> 36:266-269, 1992

Ilia Ouspenski 2/14/2005




D.O.	A17	Flaswinkel and Reth, "Dual role of the tyrosine activation motif of the Ig- α protein during signal transduction via the B cell antigen receptor. <i>The EMBO Journal</i> 13(1):83-89, 1994
	A18	Fraser, C.M. and Venter, J.C. "Monoclonal antibodies to beta-adrenergic receptors: use in purification and molecular characterization of beta receptors" <i>Proc Natl Acad Sci</i> 77, 7034-8, 1980
	A19	Galli et al. "Relative position and strengths of poly(A) sites as well as transcription termination are critical to membrane vs secreted mu-chain expression during B-cell development" <i>Genes & Dev</i> 1, 471-481, 1987
	A20	Genovese et al. "Differential mRNA stabilities affect mRNA levels in mutant mouse myeloma cells" <i>Somat Cell Mol Genet</i> 17, 69-81, 1991
	A21	Genovese C. and Milcarek, C. "Increased half-life of mu immunoglobulin mRNA during mouse B cell development increases its abundancy" <i>Mol Immunol</i> 27, 733-43, 1990
	A22	Glennie, M.J. and Johnson, P.W. "Clinical trials of antibody therapy" <i>Immunol Today</i> 21, 403-10, 2000
	A23	Glennie, M.J. and van de Winkel, Jan G.J. "Renaissance of cancer therapeutic antibodies." <i>DDT</i> 8(11):503-510, 2003
	A24	Gold and Matsuuchi, "Signal Transduction by the Antigen Receptors of B and T Lymphocytes" <i>International Review of Cytology</i> 157:181-276, 1995
	A25	Graziano and Fanger "Fc γ RI and Fc γ RII on Monocytes and Granulocytes are Cytotoxic Trigger Molecules for Tumor Cells" <i>J. of Immun.</i> 139: 3536-3541, 1987
	A26	Green, Larry L. "Antibody engineering via genetic engineering of the mouse: XenoMouse strains are a vehicle for the facile generation of therapeutic human monoclonal antibodies." <i>J. Immuno. Methods</i> 231:11-23, 1999
	A27	Greenberg et al. "Telomerase reverse transcriptase gene is a direct target of c-Myc but is not functionally equivalent in cellular transformation" <i>Oncogene</i> 18, 1219-26, 1999
	A28	Greene et al. "Monoclonal antibodies to human estrogen receptor" <i>Proc Natl Acad Sci U S A</i> 77, 5115-9, 1980
	A29	Guisse et al. "Alternative expression of secreted and membrane forms of immunoglobulin μ -chain is regulated by transcriptional termination in stable plasmacytoma transfectants" <i>Journal of Immunology</i> 140, 3988-3994, 1988
	A30	Hall, B. L. and Milcarek, C. "Sequence and polyadenylation site determination of murine immunoglobulin gamma 2a membrane 3' untranslated region" <i>Mol Immunol</i> 26, 819-826, 1989.
	A31	Hashimoto et al. "Alternative splicing of CD79a (Ig-alpha/mb-1) and CD79b (Ig-beta/B29) RNA transcripts in human B cells" <i>Mol Immunol</i> 32, 651-9, 1995
	A32	Hattori et al. "The DNA sequence of human chromosome 21. The chromosome 21 mapping and sequencing consortium" <i>Nature</i> 405, 311-9, 2000
	A34	Hombach et al. "Identification of the genes encoding the IgM-alpha and Ig-beta components of the IgM antigen receptor complex by amino-terminal sequencing" <i>Eur J Immunol</i> 20, 2795-9, 1990
	A35	Hombach et al. "Molecular components of the B-cell antigen receptor complex of the IgM class" <i>Nature</i> 343, 760-2, 1990
	A36	Hurwitz et al. "C $_H$ gene rearrangements in IgM-bearing B cells and in the normal splenic DNA component of hybridomas making different isotypes of antibody" <i>Cell</i> 22, 349-59, 1980
	A37	Kanavaros et al. "Discordant expression of immunoglobulin and its associated molecule mb-1/CD79a is frequently found in mediastinal large B cell lymphomas" <i>Am J Pathol</i> 146, 735-41, 1995
	A38	Kandasamy et al. "The late pollen specific actins in angiosperms" <i>Plant J</i> 18, 681-691, 1999
	A39	Kelly, D. E., and Perry, R. P. "Transcriptional and post-transcriptional control of Ig mRNA production during B lymphocyte development" <i>Nucleic Acids Research</i> 14, 5431-5441, 1986
D.O.	A40	Kim et al. "Immortalization of human embryonic fibroblasts by overexpression of c- myc and simian virus 40 large T antigen" <i>Exp Mol Med</i> 33, 293-8, 2001

Ilia Onspenshi 2/14/2005



\$0.	A41	Kim et al. "Differential signaling through the Ig- α and Ig- β components of the B cell antigen receptor" <i>Mol. Immunol.</i> 23: 911-916, 1993
	A42	Kiyono et al. "Both Rb/p16 ^{INK4a} inactivation and telomerase activity are required to immortalize human epithelial cells" <i>Nature</i> 396, 84-8, 1998
	A43	Kobrin, B. J. et al. Sequences near the 3' secretion-specific polyadenylation site influence levels of secretion-specific and membrane-specific IgG2b mRNA in myeloma cells" <i>Molecular and Cellular Biology</i> 6, 1687-1697, 1986
	A44	Kohler, G., and Milstein, C. "Continuous cultures of fused cells secreting antibody of predefined specificity" <i>Nature</i> 256, 495, 1975
	A45	Kohler and Milstein. "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion." <i>Eur. J. Immunol.</i> 6:495-497. (1975)
	A46	Kraus et al. "Ig- α Cytoplasmic Truncation Renders Immature B Cell More Sensitive to Antigen Contact," <i>Immunity</i> 11:537-545, 1999
	A47	Laird et al. "50 million years of chordate evolution: Seeking the origins of adaptive immunity." <i>PNAS</i> 97(13):6924-6926, 2000
	A48	Lassman, C. R., and Milcarek, C. "Regulated expression of the mouse γ 2b Ig H chain gene is influenced by polyA site order and strength" <i>J Immunol</i> 148(8), 2578-2585, 1992
	A49	Lassman et al. "Plasma cell-regulated polyadenylation at the Ig gamma 2b secretion-specific poly(A) site" <i>J Immunol</i> 148, 1251-60, 1992.
	A50	Lebman et al. "Regulation of usage of membrane and secreted 3' termini of alpha mRNA differs from mu mRNA" <i>Journal of Immunology</i> 148, 3282-3289, 1992
	A51	Leno et al. "IgG Production in Hybridoma Batch Culture: Kinetics of IgG mRNA, Cytoplasmic-, Secreted- and Membrane-Bound Antibody Levels" <i>Journal of Biotechnology</i> 20: 301-312, 1991
	A52	Li et al. "Rapid isolation of monoclonal antibodies: monitoring enzymes in the phytochelatin synthesis pathway" <i>Plant Physiol</i> 711-719(2001)
	A53	Li et al. "Genetic diversity of the human immunoglobulin heavy chain V _H region." <i>Immunological Reviews</i> 190:53-68, 2002
	A54	Lockhart, D.J. and Winzeler, E.A. "Genomics, gene expression and DNA arrays" <i>Nature</i> 405, 827-36, 2000
	A55	MacBeath, G. and Schreiber, S.L. "Printing proteins as microarrays for high-throughput function determination" <i>Science</i> 289, 1760-3, 2000
	A56	Matis et al. "B-lineage regulated polyadenylation occurs on weak poly(A) sites regardless of sequence composition at the cleavage and downstream regions" <i>Nucleic Acids Res</i> 24, 4684-92, 1996
	A57	Matsuuchi et al. "The membrane IgM-associated proteins MB-1 and Ig- β are sufficient to promote surface expression of a partially functional B-cell antigen receptor in a nonlymphoid cell line" <i>Proc. Natl. Acad. Sci. USA</i> 89:3404-3408, 1992
	A58	McKinney et al. "Optimizing antibody production in batch hybridoma cell culture" <i>Journal of Biotechnology</i> 40: 31-48, 1995
	A59	Meilhoc et al. "Application of flow cytometric measurement of surface IgG in kinetic analysis of monoclonal antibody synthesis and secretion by murine hybridoma cells" <i>J Immunol Methods</i> 121, 167-174, 1989
	A60	Milcarek, C., and Hall, B. "Cell-specific expression of secreted versus membrane forms of immunoglobulin gamma 2b mRNA involves selective use of alternate polyadenylation sites" <i>Mol Cell Biol</i> 5, 2514-2520, 1985
	A61	Milcarek et al. "Changes in abundance of IgG 2a mRNA in the nucleus and cytoplasm of a murine B-lymphoma before and after fusion to a myeloma cell" <i>Mol Immunol</i> 33, 691-701, 1996
\$0.	A62	Milcarek et al. "The Metabolism of a Poly(a) Minus mRNA Fraction in LeLa Cells." <i>Cell</i> 3:1-10, 1974

Iliia Ouspenshi 2/14/2005



I.O.	A63	Miller et al. "Treatment of B-cell lymphoma with monoclonal anti-idiotypic antibody." <i>N Engl J Med</i> 306, 517-22, 1982
	A64	Milstein, C. "With the benefit of hindsight" <i>Immunol Today</i> 21, 359-64, 2000
	A65	Milstein, C. "The hybridoma revolution: an offshoot of basic research." <i>BioEssay</i> 21:966-973, 1999
	A66	Morio et al. "The <i>Dictyostelium</i> developmental cDNA project: generation and analysis of expressed sequence tags from the first-finger stage of development" <i>DNA Res</i> 5, 335-40, 1998
	A67	Munn et al. "Role of Low-Affinity Fc Receptors in Antibody-Dependent Tumor Cell Phagocytosis by Human Monocyte-Derived Macrophages" <i>Cancer Res.</i> 51: 1117-1123, 1991
	A68	Nygren and Uhlen. "Scaffolds for engineering novel binding sites in proteins." <i>Engineering and Design</i> 7:463-469, 1997
	A69	O'Reilly et al. "Rapid hybridoma screening method for the identification of monoclonal antibodies to low-abundance cytoplasmic proteins" <i>Biotechniques</i> 25, 824-30, 1998
	A70	Oi et al. "Immunoglobulin gene expression in transformed lymphoid cells" <i>Proc Natl Acad Sci U S A</i> 80, 825-9, 1983
	A71	Opitz et al. "Cyclin D1 overexpression and p53 inactivation immortalize primary oral keratinocytes by a telomerase-independent mechanism" <i>J Clin Invest</i> 108, 725-32, 2001
	A72	Ozturk and Palsson : "Loss of Antibody Productivity During Long-Term Cultivation of a Hybridoma Cell Line in Low Serum and Serum-Free Media" <i>Hybridoma</i> 9: 167-175, 1990
	A73	Pandey, A., and Mann, M. "Proteomics to study genes and genomes" <i>Nature</i> 405, 837-46, 2000
	A74	Pandey et al. "Analysis of receptor signaling pathways by mass spectrometry: identification of vav-2 as a substrate of the epidermal and platelet-derived growth factor receptors" <i>Proc Natl Acad Sci U S A</i> 97, 179-84, 2000
	A75	Papavasiliou et al. "The Cytoplasmic Domains of Immunoglobulin (Ig) α and Ig β Can Independently Induce the Precursor B Cell Transition and Allelic Exclusion," <i>J. Exp. Med</i> 182:1389-1393, 1995
	A76	Parks et al. "Antigen-specific identification and cloning of hybridomas with a fluorescence-activated cell sorter" <i>Proc Natl Acad Sci U S A</i> 76, 1962-6, 1979
	A77	Pelanda et al. "B Cell Progenitors Are Arrested in Maturatin but Have Intact VDJ Recombination in the Absence of Ig- α and Ig- β ." <i>J. of Immun</i> 169:865-872, 2002
	A78	Persidis, A. "Proteomics" <i>Nat Biotechnol</i> 16, 393-4, 1998
	A79	Phillips et al. "Regulation of nuclear poly(A) addition controls the expression of immunoglobulin M secretory mRNA" <i>The EMBO Journal</i> 20(22):6443-6452, 2001
	A80	Rapp et al. "The Use of the Flourescent-Activated Cell Sorter to Monitor Changes in Cell-Specific Productivity and its Application to Large Scale Culture" <i>Advances in Animal Cell Biology and Technology for BioProcesses</i> , 129-133, 1989
	A81	Reichlin et al. "B Cell Development is Arrested at the Immature B Cell State in Mice Carrying a Mutation in the Cytoplasmic Domain of Immunoglobulin b. <i>J. Exp. Med.</i> 01, 193(1):13-23, Jan. 2001
	A82	Reth et al. "An unsolved problem of the clonal selection theory and the model of an oligomeric B-cell antigen receptor" <i>Immunol. Rev.</i> 176: 10-18, 2000
	A83	Reth et al. "The B-cell antigen receptor complex." <i>Immun Today</i> 12(6):196-201, 1991
	A84	Reth, Michael "Antigen Receptors on B Lymphocytes." <i>Annu. Rev. Immunol.</i> 10:97-121, 1992
	A85	Richards et al. "Reconstitution of B cell antigen receptor-induced signaling events in a nonlymphoid cell line by expressing the Syk protein-tyrosine kinase" <i>J Biol Chem</i> 271, 6458-66, 1996
	A86	Russo et al. "A telomere-independent senescence mechanism is the sole barrier to Syrian hamster cell immortalization" <i>Oncogene</i> 17, 3417-26, 1998
I.O.	A87	Sakaguchi et al. "B lymphocyte lineage-restricted expression of mb-1, a gene with CD3-like structural properties" <i>Embo J</i> 7, 3457-64, 1988

Ilia Ouspenski 2/14/2005



\$-0.	A88	Schamel and Reth, "Stability of the B cell antigen receptor complex." <i>Molecular Immunology</i> 37:253-259, 2000
	A89	Schildbach et al. "Contribution of a single heavy chain residue to specificity of an anti-digoxin monoclonal antibody" <i>Protein Science</i> 3:737-749, 1994
	A90	Stevens et al. "A Mutation of the μ Transmembrane that Disrupts Endoplasmic Reticulum Retention," <i>J. Immunol.</i> 4397-4406, 1994
	A91	Sun et al. "Transfectomas expressing both secreted and membrane-bound forms of chimeric IgE with anti-viral specificity" <i>J Immunol</i> 146, 199-205, 1991
	A92	Syrgios et al. "Use of monoclonal antibodies for the diagnosis and treatment of bladder cancer" <i>Hybridoma</i> 18, 219-224, 1999
	A93	Torris et al. "Aberrant B Cell Development and Immune Response in Mice with a Compromised BCR Complex." <i>Science</i> 272(5269):1804-1808, 1996
	A94	Wang and Clark, "Ig α : B all that you can B," <i>J. Clin Invest.</i> 104(8):1011-1012, 1999.
	A95	Weiser et al. The internalization of the IgG2a antigen receptor does not require the association with Ig- α and Ig- β but the activation of protein tyrosine kinases does." <i>Eur. J. Immunol.</i> 24:665-671, 1994
	A96	Wienands et al. "Molecular components of the B cell antigen receptor complex of class IgD differ partly from those of IgM" <i>EMBO Journal</i> 9: 449-456, 1990
\$-0.	A97	Yuan, D., and Tucker, P. W. "Transcriptional regulation of the mu-delta heavy chain locus in normal murine B-lymphocytes" <i>J Exp Medicine</i> 160, 564-572, 1984.

EXAMINER: Ilian Arzpevski DATE CONSIDERED: 02/14/2005

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.